



**berrplas**

[www.berrplas.com](http://www.berrplas.com)



# berrplas

Berrplas, was established in 2015 to provide its customers with its past experience in the field of small house hold electrical appliances. Berrplas offers and produces its own design high-end products to middle and high segment brands.

It also offers the most competitive prices in terms of quality range. Product range include, plastic and stainless steel water heater, Tea maker, Turkish Coffee Maker and Dripped Filter Coffee Machines.

[www.berrplas.com](http://www.berrplas.com)



STM-01

DIGITAL STAND MIXER

Rating: 220-240V-50-60Hz, 1500W  
5 L Stainless stell bowl with transparent cover  
6 speeds with pulse digital control  
3 types of whips for dough making and mixing  
Detachable accessories for easy washing  
Metal gear system for perfect mixing result and heavy duty  
Only 3 min for max 1.5kgs flour to become dough,  
3 min whisk for egg  
Whisk of max 12 eggs white  
Planetary mixing action



Pcs in Box : 2 pcs	Box Dimensions : 495x420x360 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 10 kg	Gross Weight : 10.2 kg	730	1460	1760	2070

STM-02

DIGITAL STAND MIXER

220V-240V; 50-60Hz; 1500W(max.)  
8 speeds + Pulse speed; digital control knob  
5.0L brush stainless steel bowl ( SUS304)  
Anti-splash cover  
Tilt back head for easy access of mixture  
Planetary construction design  
Removable stainless steel bowl for easy operation  
Detachable accessories for easy cleaning  
Anti-slip feet  
3 basic accessories : Dough hook,  
Egg whisk and mixing beater  
With HALL (IC) PCBA, Metal gear  
Overheating protection



Pcs in Box : 2 pcs	Box Dimensions : 485x403x343 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 10 kg	Gross Weight : 10.2 kg	840	1740	1954	2380

STM-03

STAND MIXER

Rating: 220-240V-50-60Hz, 1500W  
5 L Stainless stell bowl with transparent cover  
6 speeds with pulse manuel control  
3 types of whips for dough making and mixing  
Detachable accessories for easy washing  
Metal gear system for perfect mixing result and heavy duty  
Only 3 min for max 1.5kgs flour to become dough,  
3 min whisk for egg  
Whisk of max 12 eggs white  
Planetary mixing action



Pcs in Box : 2 pcs	Box Dimensions : 495x420x360 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 10 kg	Gross Weight : 10.2 kg	840	1740	1954	2380

STM-04

STAND MIXER

220V-240V; 50-60Hz; 1300W(max.)  
6 speeds + Pulse speed; manual control knob  
5.0L brush stainless steel bowl ( SUS304)  
Anti-splash cover  
Tilt back head for easy access of mixture  
Planetary construction design  
Removable stainless steel bowl for easy operation  
Detachable accessories for easy cleaning  
Anti-slip feet  
3 basic accessories : Dough hook,  
Egg whisk and mixing beater  
With HALL (IC) PCBA, Metal gear  
Overheating protection



Pcs in Box : 2 pcs	Box Dimensions : 485x403x343 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 10 kg	Gross Weight : 10.2 kg	840	1740	1954	2380

## STM-05

## DIGITAL STAND MIXER

Rating: 220-240V-50-60Hz, 1500W  
 5 L Stainless steel bowl with transparent cover  
 6 speeds with pulse digital control  
 3 types of whips for dough making and mixing  
 Detachable accessories for easy washing  
 Metal gear system for perfect mixing result and heavy duty  
 Only 3 min for max 1.5kgs flour to become dough,  
 3 min whisk for egg  
 Whisk of max 12 eggs white  
 Planetary mixing action



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 495x420x360 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
730	1460	1760	2070

## STM-06

## DIGITAL STAND MIXER

220V-240V; 50-60Hz; 1500W(max.)  
 8 speeds + Pulse speed; digital control knob  
 5.0L brush stainless steel bowl ( SUS304)  
 Anti-splash cover  
 Tilt back head for easy access of mixture  
 Planetary construction design  
 Removable stainless steel bowl for easy operation  
 Detachable accessories for easy cleaning  
 Anti-slip feet  
 3 basic accessories : Dough hook,  
 Egg whisk and mixing beater  
 With HALL (IC) PCBA, Metal gear  
 Overheating protection



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380

## TM-1128

## DIGITAL STAND MIXER

220V-240V; 50-60Hz; 1500W(max.)  
 8 speeds + Pulse speed; digital control knob  
 5.0L brush stainless steel bowl ( SUS304)  
 Anti-splash cover  
 Tilt back head for easy access of mixture  
 Planetary construction design  
 Removable stainless steel bowl for easy operation  
 Detachable accessories for easy cleaning  
 Anti-slip feet  
 3 basic accessories : Dough hook,  
 Egg whisk and mixing beater  
 With HALL (IC) PCBA, Metal gear  
 Overheating protection



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380

## TM-9108

## STAND MIXER

220V-240V; 50-60Hz; 1300W(max.)  
 6 speeds + Pulse speed; manual control knob  
 5.0L brush stainless steel bowl ( SUS304)  
 Anti-splash cover  
 Tilt back head for easy access of mixture  
 Planetary construction design  
 Removable stainless steel bowl for easy operation  
 Detachable accessories for easy cleaning  
 Anti-slip feet  
 3 basic accessories : Dough hook,  
 Egg whisk and mixing beater  
 With HALL (IC) PCBA, Metal gear  
 Overheating protection



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380



## TM-II01

## STAND MIXER

- 220V-240V; 50-60Hz; 1500W(max.)
- 8 speeds + Pulse speed; manual control knob
- 5.0L brush stainless steel bowl ( SUS304)
- Anti-splash cover
- Tilt back head for easy access of mixture
- Planetary construction design
- Removable stainless steel bowl for easy operation
- Detachable accessories for easy cleaning
- Anti-slip feet
- 3 basic accessories : Dough hook, Egg whisk and mixing beater
- With HALL (IC) PCBA, Metal gear
- Overheating protection



**Pcs in Box** : 2 pcs      **Box Dimensions** : 485x403x343 mm  
**Net Weight** : 10 kg      **Gross Weight** : 10.2 kg

<b>20 DC</b> 840	<b>40 DC</b> 1740	<b>40 HQ</b> 1954	<b>Truck (80 cbm)</b> 2380
---------------------	----------------------	----------------------	-------------------------------

## TM-II26

## STAND MIXER

- 220V-240V; 50-60Hz; 1500W(max.)
- 8 speeds + Pulse speed; manual control knob
- 5.0L brush stainless steel bowl ( SUS304)
- Anti-splash cover
- Tilt back head for easy access of mixture
- Planetary construction design
- Removable stainless steel bowl for easy operation
- Detachable accessories for easy cleaning
- Anti-slip feet
- 3 basic accessories : Dough hook,
- Egg whisk and mixing beater
- With HALL (IC) PCBA, Metal gear
- Overheating protection
- Injection Color



**Pcs in Box** : 2 pcs      **Box Dimensions** : 485x403x343 mm  
**Net Weight** : 10 kg      **Gross Weight** : 10.2 kg

<b>20 DC</b>	<b>40 DC</b>	<b>40 HQ</b>	<b>Truck (80 cbm)</b>
840	1740	1954	2380

## TM-II0IBG

## STAND MIXER

220V-240V; 50-60Hz; 1500W (GS)  
8 speeds + Pulse speed  
4. 5L brush stainless steel bowl (SUS304)  
Anti-splash cover with open hole for user to add ingredient  
as desire any time  
Tilt back head for easy access of mixture  
Planetary rotation ensures an even mixing result  
Removable stainless steel bowl for easy operation  
Detachable accessories for easy cleaning  
Anti-slip feet  
5 standard accessories : Dough hook, Egg whisk, mixing  
beater, 1.0L blender, meat grinder set  
Injection color  
With HALL (IC) PCBA,  
Metal gear  
Overheating protection, overload protection



**Pcs in Box** : 2 pcs      **Box Dimensions** : 485x403x343 mm  
**Net Weight** : 10 kg      **Gross Weight** : 10.2 kg

<b>20 DC</b> 840	<b>40 DC</b> 1740	<b>40 HQ</b> 1954	<b>Truck (80 cbm)</b> 2380
---------------------	----------------------	----------------------	-------------------------------

## TM-2110

## STAND MIXER

- 220V-240V; 50-60Hz; 1500W (GS)
- Digital touch screen on the top, automatic function
- 5.0L brush stainless steel bowl ( SUS304)
- Anti-splash cover
- Tilt back head for easy access of mixture
- Planetary construction design
- Removable stainless steel bowl for easy operation
- Detachable accessories for easy cleaning
- Anti-slip feet
- 3 basic accessories: Dough hook, Egg whisk and mixing beater.
- Injection color
- With HALL (IC) PCBA
- Metal gear



**Pcs in Box** : 2 pcs      **Box Dimensions** : 485x403x343 mm  
**Net Weight** : 10 kg      **Gross Weight** : 10.2 kg

<b>20 DC</b> 840	<b>40 DC</b> 1740	<b>40 HQ</b> 1954	<b>Truck (80 cbm)</b> 2380
---------------------	----------------------	----------------------	-------------------------------

## SM-B03BSD



### DIGITAL STAND MIXER

220V-240V; 50-60Hz; 2200W(max.)  
 12 speeds + Pulse speed; digital control knob  
 5L brush stainless steel bowl ( SUS304)  
 Anti-splash cover  
 Colorful touch screen with auto program  
 Built in scale function (0-500 gr.)  
 Removable stainless steel bowl for easy operation  
 Fermentation function 25C° to 45C°  
 Detachable accessories for easy cleaning  
 3 basic accessories : Dough hook,  
 Egg whisk and mixing beater  
 With HALL (IC) PCBA, Metal gear  
 Overheating protection



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380

## SM-B03P



### STAND MIXER

220V-240V; 50-60Hz; 1500W(max.)  
 12 speeds + Pulse speed; digital control knob  
 5L brush stainless steel bowl ( SUS304)  
 Anti-splash cover  
 Colorful touch screen with auto program  
 Built in scale function (0-500 gr.)  
 Removable stainless steel bowl for easy operation  
 Fermentation function 25C° to 45C°  
 Detachable accessories for easy cleaning  
 3 basic accessories: Dough hook,  
 Egg whisk and mixing beater  
 With HALL (IC) PCBA, Metal gear  
 Overheating protection



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380



## SM-B03B



### STAND MIXER

Strong motor with low noise design  
 AC8825 Motor  
 Rating: 220-240V-50-60Hz, 1500W  
 5 L Stainless stell bowl with transparent cover  
 12 speeds with pulse digital control  
 3 types of whips for dough making and mixing  
 Detachable accessories for easy washing  
 Metal gear system for perfect mixing result and heavy duty  
 Only 3 min for max 1.5kgs flour to become dough,  
 3 min whisk for egg  
 Whisk of max 12 eggs white  
 Planetary mixing action



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380




## SM-B03C



### STAND MIXER

Strong motor with low noise design  
 AC8825 Motor  
 Rating: 220-240V-50-60Hz, 1500W  
 5 L Stainless stell bowl with transparent cover  
 12 speeds with pulse digital control  
 3 types of whips for dough making and mixing  
 Detachable accessories for easy washing  
 Metal gear system for perfect mixing result and heavy duty  
 Only 3 min for max 1.5kgs flour to become dough,  
 3 min whisk for egg  
 Whisk of max 12 eggs white  
 Planetary mixing action




**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg  
**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1740	1954	2380







**Pcs in Box** : 2 pcs **Box Dimensions** : 606x460x423 mm  
**Net Weight** : 15 kg **Gross Weight** : 15.5 kg

## SM-9213

### STAND MIXER

Injection color  
220-240V~, 50-60Hz, 2000W  
6 speeds + Pulse speed  
10L stainless steel bowl (SUS 304)  
Anti-splash cover  
LED indicator light for decoration  
Removable stainless steel bowl for easy operation.  
Detachable accessories for easy cleaning.  
Anti-slip feet for mixing more stably.  
3 basic accessories: Dough hook, Egg whisk and mixing beater.



20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1030	1140	1360



**Pcs in Box** : 2 pcs **Box Dimensions** : 606x460x423 mm  
**Net Weight** : 15 kg **Gross Weight** : 15.5 kg

## SM-9213N

### STAND MIXER

Injection color  
220-240V~, 50-60Hz, 2000W  
6 speeds + Pulse speed  
10L stainless steel bowl (SUS 304)  
Anti-splash cover  
LED indicator light for decoration  
Removable stainless steel bowl for easy operation.  
Detachable accessories for easy cleaning.  
Anti-slip feet for mixing more stably.  
3 basic accessories : Dough hook, Egg whisk and mixing beater.



20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1030	1140	1360



**Pcs in Box** : 2 pcs **Box Dimensions** : 606x460x423 mm  
**Net Weight** : 15 kg **Gross Weight** : 15.5 kg

## SM-9213X

Injection color  
220-240V~, 50-60Hz, 2000W  
6 speeds + Pulse speed  
10L stainless steel bowl (SUS 304)  
Anti-splash cover  
LED indicator light for decoration  
Removable stainless steel bowl for easy operation.  
Detachable accessories for easy cleaning.  
Anti-slip feet for mixing more stably.  
3 basic accessories : Dough hook, Egg whisk and mixing beater.



20 DC	40 DC	40 HQ	Truck (80 cbm)
840	1030	1140	1360

CM-I01A

FILTER COFFEE MACHINE

Power: 220-240V~, 50-60Hz,550-650W  
Heating Element: 220-240V~ 550-650W  
Anti-drip Function and Auto-shut off .  
Resuable cone filter with handle Non-stick warm plate and keep warm function.  
With clear water level indicator.  
Overheat protection by thermostat and thermo fuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 7min.



550-650 W



0.75 Lt.  
Capacity

Pcs in Box : 6 pcs    Box Dimensions : 524x435x290 mm  
Net Weight : 5.82 kg    Gross Weight : 8.1 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
2616	5280	6192	7500

CM-I01S

FILTER COFFEE MACHINE

Power: 220-240V~, 50-60Hz,550-650W  
Heating Element: 220-240V~ 550-650W  
Anti-drip Function and Auto-shut off .  
Resuable cone filter with handle  
Non-stick warm plate and keep warm function.  
With clear water level indicator.  
Overheat protection by thermostat and thermo fuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 7min.  
SUS 430 decoration



550-650 W



0.75 Lt.  
Capacity

Pcs in Box : 6 pcs    Box Dimensions : 524x435x290 mm  
Net Weight : 5.82 kg    Gross Weight : 8.1 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
2616	5280	6192	7500

CM-I08

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off .  
Resuable cone filter with handle ,Plastic:shinny  
Non-stick warm plate and keep warm function.  
With clear water level indicator  
Overheat protection by thermostat and thermo fuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and Coffee  
keep warm temperature range 71-76°  
Cook coffee about 8min 20 sec.



800 W



1.25 Lt.  
Capacity

Pcs in Box : 6 pcs    Box Dimensions : 620x508x345 mm  
Net Weight : 7.92 kg    Gross Weight : 10.7 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1542	3246	3780	4404

CM-I08S

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off .  
Resuable cone filter with handle ,Plastic:shinny  
Non-stick warm plate and keep warm function.  
With clear water level indicator  
Overheat protection by thermostat and thermo fuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 8min 20 sec.  
SUS 430 decoration



800 W



1.25 Lt.  
Capacity

Pcs in Box : 6 pcs    Box Dimensions : 620x508x345 mm  
Net Weight : 8.4 kg    Gross Weight : 11.15 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1542	3246	3780	4380



CM-I08E

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off  
Resuable cone filter with handle  
Non-stick warm plate and keep warm function  
With clear water level indicator with  
SUS 430 decoration  
Overheat protection by thermostat and thermofuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 8min 20 sec.  
With ON/OFF, PROG, HOUR, MIN four functional buttons  
with LCD display Fully automatic with  
24 hour programmability  
Electronic control



800 W



1.25 Lt.  
Capacity

Pcs in Box : 6 pcs  
Net Weight : 8.4 kg

Box Dimensions : 620x508x345 mm  
Gross Weight : 11.15 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1542	3246	3780	4380

CM-I08T-I

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off  
Resuable cone filter with handle  
With clear water level indicator  
Overheat protection by thermostat and thermofuse  
Pushbutton switch control with light indicator  
Cook coffee about 6min 30 sec.  
Thermos jug with double stainless-steel  
walls to keep warm the coffee  
SUS 430 decoration



800 W



1 Lt. Capacity

Pcs in Box : 4 pcs  
Net Weight : 7.28 kg

Box Dimensions : 510x415x345 mm  
Gross Weight : 9.4 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1542	3246	3780	4380

CM-I08A

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off .  
Resuable cone filter with handle  
Non-stick warm plate and keep warm function.  
With clear water level indicator  
Overheat protection by thermostat and thermo fuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 8min 20 sec.  
SUS 430 decoration



800 W



1.25 Lt.  
Capacity

Pcs in Box : 6 pcs  
Net Weight : 7.92 kg

Box Dimensions : 620x508x345 mm  
Gross Weight : 10.7 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1542	3246	3780	4404

CM-I09A

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off  
Resuable cone filter with handle  
Non-stick warm plate and keep warm function  
With clear water level indicator  
Overheat protection by thermostat and thermofuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 9min.  
SUS 430 decoration



800 W



1.5 Lt. Capacity

Pcs in Box : 4 pcs  
Net Weight : 5.68 kg

Box Dimensions : 510x415x365 mm  
Gross Weight : 7.7 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1496	3056	3552	4152

CM-109ES

FILTER COFFEE MACHINE

Anti-drip Function and Auto-shut off  
Resuable cone filter with handle  
Non-stick warm plate and keep warm function  
With clear water level indicator  
Overheat protection by thermostat and thermofuse  
Pushbutton switch control with light indicator  
with high temperature coffee pot  
Coffee temperature >75° and  
Coffee keep warm temperature range 71-76°  
Cook coffee about 9min.  
With ON/OFF, PROG, HOUR, MIN four functional buttons  
with LCD display Fully automatic with  
24 hour programmability  
Electronic control



800 W



1.5 Lt. Capacity

Pcs in Box : 4 pcs    Box Dimensions : 510x415x365  
Net Weight : 5.92 kg    Gross Weight : 7.7 kg

20 DC	40 DC	40 HQ	Truck (80 cbm)
1496	3056	3552	4152







**Pcs in Box** : 4 pcs  
**Net Weight** : 9.9 kg

**Box Dimensions** : 491x483x430 mm  
**Gross Weight** : 10.9 kg

<b>20 DC</b>	<b>40 DC</b>	<b>40 HQ</b>	<b>Truck (80 cbm)</b>
1200	2476	2836	3450

**WK0836MG**

**DIGITAL TEA MAKER**

220-240V 50/60Hz,1850-2200W  
2L for kettle and 0.8L for glass jar  
Auto shut off and keep warm function  
Light illumination for boiling water and keep warm.



**Pcs in Box** : 4 pcs  
**Net Weight** : 9.2 kg

**Box Dimensions** : 577x452x430 mm  
**Gross Weight** : 10.2 kg

<b>20 DC</b>	<b>40 DC</b>	<b>40 HQ</b>	<b>Truck (80 cbm)</b>
1040	2160	2428	2856

**WK8836G**

**DIGITAL TEA MAKER**

220-240V 50/60Hz,1850-2200W  
2L for kettle and 0.8L for glass jar  
Big screen display for temp  
Setting and multiple function choosing  
Auto shut off and keep warm function  
Light illumination for boiling water and keep warm



**Pcs in Box** : 4 pcs  
**Net Weight** : 10.1 kg

**Box Dimensions** : 491x483x430 mm  
**Gross Weight** : 11.28 kg

<b>20 DC</b>	<b>40 DC</b>	<b>40 HQ</b>	<b>Truck (80 cbm)</b>
1012	2208	2600	3120

**WK0837MG**

**DIGITAL TEA MAKER**

220-240V 50/60Hz,1850-2200W  
2L for kettle and 0.8L for glass jar  
Auto shut off and keep warm function  
Light illumination for boiling water and keep warm.



**Pcs in Box** : 2 pcs  
**Net Weight** : 10 kg

**Box Dimensions** : 485x403x343 mm  
**Gross Weight** : 10.2 kg

<b>20 DC</b>	<b>40 DC</b>	<b>40 HQ</b>	<b>Truck (80 cbm)</b>
840	1740	1954	2380

**WK8837G**

**DIGITAL TEA MAKER**

220-240V 50/60Hz,1850-2200W  
2L for kettle and 0.8L for glass jar  
Big screen display for temp  
Setting and multiple function choosing  
Auto shut off and keep warm function  
Light illumination for boiling water and keep warm

KE82I73

DIGITAL COLOR DISPLAY KETTLE



Capacity: 1.7L  
360 Rotation  
Cordless, for ease of use  
Double wall kettle, cool touch function  
Inner water level indicator  
Manual lid-opening structure  
Boil dry protection  
Automatically turns off when water boils  
keeping warm and using for different purpose like milk,  
honey, green tea, red tea, coffee and ect.  
Voltage: 220-240V  
Wattage: 1850-2200W  
With JIATAI controller & VDE plug



2200 W 1.7 Lt. Capacity

Pcs in Box : 6 pcs	Box Dimensions : 650x370x245 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 7 kg	Gross Weight : 7.75 kg	2820	5880	6912	8130

YDI833

ELECTRIC DOUBLE LAYER KETTLE



304 stainless steel/PP plastic  
360 degree rotational  
Auto power-off  
Dry boil protection and overheating protection  
Indication light



1800 W 1.8 Lt. Capacity

Pcs in Box : 6 pcs	Box Dimensions : 650x370x245 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 7 kg	Gross Weight : 7.75 kg	2820	5880	6912	8130

9057A

KETTLE

304 stainless steel  
360 degree rotational  
Auto power-off, dry boil protection  
& overheating protection, indication light  
Multiple color options  
Simple design



1500 W 2 Lt. Capacity

Pcs in Box : 6 pcs	Box Dimensions : 650x370x245 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 9 kg	Gross Weight : 11.6 kg	2820	5880	6912	8130

HB-KI53A

KETTLE

Capacity:1.7L  
1850-2200W,220-240V/50-60HZ  
Food Grade SS304 material  
High glossy PP housing  
Concealed stainless steel heating element  
Dual water & overheat protection  
Automatically truns off when water boils  
360 rotary base, easy to use  
Safty locking lid  
JIATAI controller



2200 W 1.7 Lt. Capacity



Pcs in Box : 6 pcs	Box Dimensions : 645x355x245 mm	20 DC	40 DC	40 HQ	Truck (80 cbm)
Net Weight : 6.7 kg	Gross Weight : 6.9kg	2820	5880	6912	8130



**berrplas**  
ELEKTRİKLI EV ALETLERİ SAN. TİC. LTD. ŞTİ.

Orhangazi Mah. 1673 Sok. No: 8/1 Esenyurt / İstanbul  
T. +90 212 428 20 10 • info@berrplas.com • www.berrplas.com

